

## Coated Fabric High Temperature Ducting 400°C Datasheet

Product Code: RC07-I-120

### Product Description

Special coated glass fabric duct reinforced with stainless steel wire galvanised steel clamp profile.

### Technical Specification

Ø INT. mm	Weight g/m	Vacuum m H <sup>2</sup> O	Bending mm	Coil Length m
50	400	3.26	30	6
60	500	2.24	36	6
65	500	1.94	39	6
70	500	1.63	42	6
75	600	1.43	45	6
80	600	1.27	48	6
90	600	1.02	54	6
100	600	0.82	60	6
110	700	0.67	66	6
120	700	0.57	72	6
125	800	0.51	75	6
130	800	0.48	78	6
140	800	0.42	84	6
150	900	0.37	90	6
160	900	0.32	96	6
170	900	0.29	102	6
175	1000	0.27	105	6
180	1000	0.25	108	6
200	1200	0.20	120	6
215	1300	0.18	129	6
225	1400	0.16	135	6
250	1600	0.13	175	6
275	1900	0.11	193	6
300	2100	0.09	210	6
315	2100	0.08	221	6

*The technical data here reported has been measured at 23°C with 50% humidity.*

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

### Technical Specification

Ø INT.	Weight	Vacuum	Bending	Coil Length
mm	g/m	m H <sup>2</sup> O	mm	m
325	2200	0.08	228	6
350	2500	0.07	245	6
375	2900	0.06	263	6
400	3100	0.05	280	6
450	3600	0.04	360	6
500	4100	0.03	400	6
600	5100	0.02	480	6
700	6000	0.02	560	6
800	6900	0.01	640	6
900	7800	0.01	720	6

*The technical data here reported has been measured at 23°C with 50% humidity.*

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.