


Caravan Window Seal Profile 38mm x 12mm

Product Code: RCWS-20



Measurements:

| Channel Height | Channel Width |
|----------------|---------------|
| 12mm | 26mm |

The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.

Material Specification - Solid Body

| Properties - EPDM Rubber | Values |
|--------------------------------|-----------------|
| Hardness (Shore A) | 65° to 75° |
| Tensile Strength | 8.5 Mpa |
| Elongation at Break | 285% |
| Compression Set (22hrs @ 70°C) | 20% |
| Operating Temperature Range | -40°C to +120°C |
| Aged (70hrs @ 70°C) | |
| Hardness Change | +1° |
| Tensile Strength Change | +4% |
| Elongation at Break Change | -9% |

Material Specification - Sponge Seal

| Properties - EPDM Expanded Sponge | Values |
|--|------------------------------|
| Density | 0.5 to 0.9 g/cm ³ |
| Water Absorption | 2.5% |
| Compression Set (50%, 22hrs @ 23°C) | 19% |
| Compression Deflection (25%) | 80 KPa |
| Heat Resistance (168hrs @ 70°C) | |
| Compression Deflection Change | -4% |

| Properties - Mastic Sealant | Values |
|------------------------------|-----------------------|
| Specific Gravity (ASTM D-71) | 1.3 g/cm ³ |
| Softening Point (ASTM D-36) | 200°C |
| Elongation at 25°C | 300% (min) |
| Operating Temperature Range | -40°C to +90°C |



The information contained on this product information sheet is to be used as guidance. The advice is given in good faith and does not constitute any guarantee or recommendation for suitability. The Rubber Company cannot be held liable for any damage caused by incorrect installation. We hereby reserve the right to change the technical information herewith without notification or prior agreement.