






Hollow Silicone P/Bead Profiles


RCSP6.5X1.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
6.5	1.2	3.7	2.3


RCSP8X0.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
8	0.5	6	5


RCSP9X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
9	1.5	6.4	4.4


RCSP9.5X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
9.5	1.5	3.5	2


RCSP9.9X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
9.9	1.6	5.4	0.9


RCSP10X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
10	1	6 X 5	4 x 3


RCSP10X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
10	1	5	3.2

RCSP10X1/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
10	1	4	2


RCSP10X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
10	1.5	6	3


RCSP10X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
10	2	4	2


RCSP12X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
12	1	7	5


RCSP12X3.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
12	3.2	6.3	3


Hollow Silicone P/Bead Profiles


RCSP12X9.7SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
12	4	6.8	-


RCSP12.7X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
12.7	1.6	9.5	6.4


RCSP12.7X7SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
12.7	7	9	-


RCSP13X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
13	1	7	5


RCSP13.5X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
13.5	1.5	6.4	4.4


RCSP13.6X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
13.6	1	4	2


RCSP14X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
14	3	12.7	-

RCSP14.7X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
14.7	2	6	3


RCSP15.8X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
15.8	1.6	6.3	3.1


RCSP15.9X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
15.9	1	4.9	3


RC03012			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16	1	5	3


RCSP16X3.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16	3.2	9.5	6


Hollow Silicone P/Bead Profiles


RCSP16.1X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.1	1.6	6.4	3.2


RCSP16.2X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.2	2	9.2 x 7.6	3.6


RCSP16.2X4.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.2	4.8	9.6	-


RCSP16.5X1.9V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.5	1.9	10	6


RCSP16.5X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.5	2	8.5 x 5.5	6.9 x 3.9


RCSP16.6X0.75SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.6	0.75	9.6 x 9.6	8.1 x 8.1


RCSP16.7X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
16.7	1	10	7

RCSP17X0.9SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
17	0.9	6 x 8	4.2 x 6.2


RCSP17X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
17	1	10	8


RCSP17X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
17	1.5	8.5	6.5


RCSP17X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
17	2	7	3


RCSP17.5X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
17.5	1	4.6	3


Hollow Silicone P/Bead Profiles


RCSP18X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
18	1	5	3


RCSP18X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
18	3	6	3


RCSP18.5X3.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
18.5	3.2	12.7	9


RCSP19X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19	1	6.4 x 6.4	4.4 x 4.4


RCSP19X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19	1.5	13	10


RCSP19X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19	1.5	8	5


RCSP19X1.5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19	1	6.4	4.4

RCSP19.2X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19.2	1.5	6.4	3.4


RCSP19.5X2.3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
19.5	2.3	8	6.8


RCSP20X0.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	0.8	4	2.4


RCSP20X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1	6 x 6	4 x 4


RCSP20X1/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1	10	5


Hollow Silicone P/Bead Profiles


RCSP20X1.2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1.2	6.4	4


RCSP20X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1.5	8 x 8	5 x 4


RCSP20X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1.5	6	3


RCSP20X1.5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	1.5	15 x 18	12 x 15


RCSP20X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	3	10	4


RCSP20X3/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	3	6	3


RC03035			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	3	10	4

RCSP20X4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	4	14	10


RCSP20X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	5	10	6


RCSP20X5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20	5	9.2	6.4


RCSP20.5X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20.5	1	17	15


RCSP20.5X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20.5	1.5	9	6


Hollow Silicone P/Bead Profiles


RCSP20.6X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
20.6	1.6	9.8	6.6


RCSP21X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1	9	7


RCSP21X1.1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1.1	9.1	6.9


RCSP21X1.2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1.2	14	11.6


RCSP21X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1.5	6.5	3.5


RCSP21X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1.6	10	7.4


RCSP21X1.6/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	1.6	5.1	2

RCSP21X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21	2	6 x 9	3.6 x 5.8


RCSP21.3X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21.3	1	12	10


RCSP21.5X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21.5	1	6	4


RCSP21.5X1.2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21.5	1.2	5.7	4.1


RCSP21.5X1.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21.5	1.2	5.7	3.3


Hollow Silicone P/Bead Profiles


RCSP21.6X1.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
21.6	1.2	5.7	4.1


RCSP22X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1	7	5


RCSP22X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1	8	6


RCSP22X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1.5	10	7


RCSP22X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1.6	5.1	1.9


RCSP22X1.6/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1.6	6.4	4.8


RCSP22X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	1.8	9.5	7

RCSP22X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	2	7	3


RCSP22X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	2	12	6


RCSP22X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
22	2.5	13	9.8


RCSP23X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23	1	10	8


RCSP23X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23	2	12	8


Hollow Silicone P/Bead Profiles


RCSP23X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23	2.5	10	7


RCSP23.4X1.4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23.4	1.4	10.9	8.4


RCSP23.6X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23.6	1.5	10	7


RCSP23.6X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
23.6	2	10.7	6.7


RCSP24X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24	1.6	10.5	7.3


RCSP24X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24	2	8	4


RCSP24X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24	2	9.5	5.5

RCSP24X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24	2.5	16.6	11.6


RCSP24.2X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24.2	2	9.2	6.4


RCSP24.5X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
24.5	1	9	7


RCSP25X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	1	10	8


RCSP25X1/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	1	16 x 14	14 x 12


Hollow Silicone P/Bead Profiles


RCSP25X1.1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	1.1	9.5	7.2


RCSP25X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	1.5	10	7


RCSP25X1.8V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	1.8	10	6.4


RCSP25X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	10	5


RCSP25X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	10	6


RCSP25X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	6.4	2.4


RCSP25X2/3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	12	8

RCSP25X2/3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	10	8


RCSP25X2/4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	10 x 15	6 x 11


RCSP25X2/4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	15	11


RCSP25X2/5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	12 x 25	8 x 21


RCSP25X2/5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	12	8


Hollow Silicone P/Bead Profiles


RCSP25X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2.5	10	5


RCSP25X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	3	10	4


RCSP25X3/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	3	15	9


RC03016			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25	2	12	8


RCSP25.4X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25.4	1.5	14.7	11.7


RCSP25.4X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25.4	1.6	9.6	6.4


RCSP25.4X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25.4	1.6	9.8	6.6

RCSP25.4X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
25.4	1.8	13	7.5


RCSP26X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
26	2	10	6


RCSP26.4X3.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
26.4	3.8	5 x 6	-


RCSP26.5X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
26.5	2	13	9


RCSP27X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	2	8 x 17	4 x 13


Hollow Silicone P/Bead Profiles


RCSP27X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	2	12	8


RCSP27X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	2	18	11.6


RC03017			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	2	13	9


RCSP27X3.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	3.6	13	8.5


RCSP27X30SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27	30	27 x 13	-


RCSP27.3X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27.3	2.5	12.5	6


RCSP27.6X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27.6	2	15	11

RCSP27.6X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
27.6	3	10	4


RCSP28X1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	1	10	8


RCSP28X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	1.5	16	14


RCSP28X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	1.6	12.7	9.5


RCSP28X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	1.8	12	6.4


Hollow Silicone P/Bead Profiles


RCSP28X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	2	10	6


RCSP28X2/3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	2	10	8


RCSP28X2/4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	2	15	11


RCSP28X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	3	13	10


RCSP28X3.4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28	3.4	13	9


RCSP28.1X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28.1	1.5	6	3


RCSP28.5X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
28.5	2.5	15.5	9.5

RCSP29X1.7V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29	1.7	8	5


RCSP29X1.7/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29	1.7	6	3


RCSP29X1.7/3			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29	1.7	5	2


RCSP29X1.9V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29	1.9	10	7


RCSP29X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29	2	18	15


Hollow Silicone P/Bead Profiles


RCSP29.3X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29.3	2	16	12


RCSP29.6X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
29.6	3	10	5.4


RCSP30X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1	12	10


RCSP30X1.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.2	12	9.7


RCSP30X1.3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.3	12	9.4


RCSP30X1.3/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.3	12	9.4


RCSP30X1.3/3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.3	12	9.4

RCSP30X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.5	11	8


RCSP30X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.5	10	7


RCSP30X1.5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	1.5	15	11


RCSP30X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	2	10	6


RCSP30X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	12	6


Hollow Silicone P/Bead Profiles


RCSP30X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	11	6


RCSP30X3/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	12	6


RCSP30X3/3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	16	10


RCSP30X3/4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	15	9


RCSP30X3/5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30	3	9	4


RCSP30.4X1.3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30.4	1.3	8	5.4


RCSP30.5X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30.5	2	17	13

RCSP30.5X2.4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30.5	2.4	11	7


RCSP30.6X10SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30.6	10	10	-


RCSP30.9X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
30.9	1.5	8	5


RCSP31X1.2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	1.2	11 x 16.5	8.6 x 14.1


RCSP31X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	1.5	16	12


Hollow Silicone P/Bead Profiles


RCSP31X1.5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	1.5	15	12


RCSP31X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	1.8	15	12


RCSP31X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	2	13	9


RCSP31X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	2.5	13	8


RCSP31X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	3	16	10


RCSP31X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	3	15	9


RCSP31X3.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31	3.5	25	18

RCSP31.1X1.9V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31.1	1.9	14.5x11.3	10.7x7.5

RCSP31.1X11.7SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31.1	11.7	10.3	-

RCSP31.2X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31.2	3	12	7

RCSP31.5X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31.5	2.5	14	9

RCSP31.5X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
31.5	3	12	7

Hollow Silicone P/Bead Profiles

RCSP32X2SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2	6	3

RCSP32X2V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2	12	8

RCSP32X2/2SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2	14	11.4

RCSP32X2.5SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2.5	8 x 10	5

RCSP32X2.5V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2.5	13.5	8.5

RCSP32X2.5/2SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2.5	16	11

RCSP32X2.5/3SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2.5	10	15

RCSP32X2.9SR			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	2.9	11	7


RCSP32X3V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	3	12	4


RCSP32X3/2V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	3	16	10


RCSP32X3.5V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32	3.5	13.5	9.5


RCSP32.5X2V			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32.5	2	6.8	3.2


Hollow Silicone P/Bead Profiles


RCSP32.8X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
32.8	3	21	18


RCSP33X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33	1.5	10	8


RCSP33X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33	1.5	14.5	11.5


RCSP33X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33	1.6	15	11.8


RCSP33X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33	1.8	15.5	12


RCSP33X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33	5	18 x 35	8 x 25


RCSP33.4X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33.4	2.5	17.5	12.5

RCSP33.7X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
33.7	3	14	8


RCSP34X1.8SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34	1.8	12	8


RCSP34X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34	2	15	11


RCSP34X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34	2.5	13.5	9.5


RCSP34.4X1.7SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34.4	1.7	12.7	9.3


Hollow Silicone P/Bead Profiles


RCSP34.5X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34.5	1.5	19	16


RCSP34.5X3.1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34.5	3.1	19.7	13.9


RCSP34.9X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
34.9	1.6	19.1	15.9


RCSP35Z1SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	1	10	8


RCSP35X1V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	1	22	20


RCSP35X1.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	1.2	8	6


RCSP35X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	14	10

RCSP35X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	17.3	12.3


RCSP35X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	17	13


RCSP35X2/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	19	15


RCSP35X2/3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	10	8


RCSP35X2/4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	8	4


Hollow Silicone P/Bead Profiles


RCSP35X2/5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	14	10


RCSP35X2/6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2	16	14


RCSP35X2.4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2.4	14.3	9.5


RCSP35X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2.5	12	7


RC03025			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35	2.5	15	10


RCSP35.5X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35.5	1.5	13	10


RCSP35.5X1.5/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35.5	1.5	19	16

RCSP35.6X3.8V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
35.6	3.8	17.3	12.3


RCSP36X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	1.5	12	9


RCSP36X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	1.5	20	16


RCSP36X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	2	14	10


RC03013			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	2	14	10


Hollow Silicone P/Bead Profiles


RCSP36X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	2.5	12	7


RCSP36X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	3	30	24


RCSP36X3/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	3	16	10


RCSP36X3.2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	3.2	12	5


RCSP36X25SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36	25	16.2	12.2


RCSP36.3X3.3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36.3	3.3	17.3	10.7


RCSP36.5X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36.5	3	15	8.9

RCSP36.8X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
36.8	3	19.6	13.6


RCSP37X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37	2	16	12


RCSP37X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37	2	17	13


RCSP37X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37	2	16	12


RCSP37X2/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37	2	17	13


Hollow Silicone P/Bead Profiles


RCSP37X2.8V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37	2.8	12	6.4


RCSP37.9X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37.9	1.6	8	6.4


RCSP37.9X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
37.9	2.5	18.5	13.5


38X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
38	1.5	12	9


RCSP38.1X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
38.1	1.5	12.7	10.7


RCSP38.5X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
38.5	3	10	4


RCSP38.6X2.2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
38.6	2.2	12.5x12.7	9.5 x 9

RCSP39X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
39	2	17	12













RCSP39X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
39	2	25	21

RCSP39X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
39	3	10	8


RCSP39X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
39	3	18	12


RCSP40X2R			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
40	2	13	9


Hollow Silicone P/Bead Profiles





Hollow Silicone P/Bead Profiles


RCSP41X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
41	2	20	16


RCSP41X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
41	3	18	12


RCSP41.5X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
41.5	3	19	13


RCSP42X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
42	3	16	6


RC0324			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
42	3	17	11


RCSP42.1X1.6V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
42.1	1.6	17.8	13.4


RCSP42.5X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
42.5	3	25	19

RCSP42.5X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
42.5	5	15	9


RCSP43X1.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
43	1.5	16	13


RCSP43.5X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
43.5	3	15	9


RCSP43.5X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
43.5	3	19	10


RCSP44X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
44	2	16	12


Hollow Silicone P/Bead Profiles


RCSP44X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
44	3	16	12


RCSP45X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45	2	22	18


RCSP45X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45	3	25	21


RCSP45X2/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45	2	22	18


RCSP45X3.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45	3.5	30	23


RCSP45X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45	4	20	12


RCSP45.8X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45.8	1.5	30	27

RCSP45.8X1.5/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
45.8	1.5	30	25


RCSP46.5X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
46.5	3	15	9


RCSP47X1.7SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
47	1.7	12	8


RCSP47X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
47	2	8	4


RCSP47X2.3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
47	2.3	14	9.4


Hollow Silicone P/Bead Profiles


RCSP47.9X2.3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
47.9	2.3	18	13.4


RCSP48X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
48	2	15	11


RCSP49X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
49	2	14	10


RCSP50X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
50	2	20	15


RCSP50X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
50	2	16	11


RCSP50X2/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
50	2	30	26


RCSP50X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
50	3	30	24

RCSP50X3/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
50	3	25	19


RCSP51.5X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
51.5	2	23	19


RCSP51.8X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
51.8	3	16.4	9.4


RCSP52X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
52	4	32	24


RCSP52.5X5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
52.5	5	27	19


Hollow Silicone P/Bead Profiles


RCSP52.5X5/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
52.5	5	35	29


RCSP52.6X4.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
52.6	4.5	28	20


RCSP53X2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
53	2	25 x 15	22 x 12


RCSP53X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
53	3	11.5	3.6


RCSP54X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
54	3	11.5	3


RCSP55X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	1.5	12	9


RCSP55X1.5/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	1.5	16	13

RCSP55X1.6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	1.6	16	12.8


RCSP55X2.5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	2.5	25	20


RCSP55X2.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	2.5	25	21


RCSP55X3SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
55	3	25	19


RCSP56X2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
56	2	13	9


Hollow Silicone P/Bead Profiles


RCSP57.5X4V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
57.5	4	25	14.3


RCSP60X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
60	4	20	12


RCSP60X4/2SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
60	4	30	22


RCSP60X5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
60	5	20	10


RCSP64X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
64	4	38	30


RCSP65X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
65	4	40	24


RCSP65X6SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
65	6	25	8

RCSP65.8X7V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
65.8	7	34	20


RCSP67.5X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
67.5	5	35	25


RCSP69.8X3V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
69.8	3	30	24


RCSP72X14SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
72	14	40	28


RCSP78X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
78	4	56	36


Hollow Silicone P/Bead Profiles


RCSP80X10SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
80	10	35	15

RCSP82.5X1.5V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
82.5	1.5	19.1	16.1

RCSP82.5X1.5/2V			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
82.5	1.5	19.1	16

RCSP82.5X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
82.5	5	45	35

RCSP85X5SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
85	5	35	25

RCSP105X4SR			
			
Width (mm)	Thickness (mm)	Bead O/D (mm)	Bead I/D (mm)
105	4	15.5	6.7